Ĺ	Hits	Search Text	DB	Time stamp
Number			TTCDD M.	2002/05/20
-	147	domain adj name with register\$4	USPAT; EPO; JPO;	2003/05/30 12:22
			IBM_TDB	/
-	147	domain adj name with register\$5	USPAT;	2003/05/29
			EPO; JPO; IBM TDB	12:05
	,	demain add name with magistance and	USPAT;	2004/02/17
-	0	domain adj name with register\$5 and	EPO; JPO;	13:13
		registry adj data\$base	IBM TDB	13.13
!	5	domain adj name with register\$5 and	USPAT;	2003/05/29
-	,	regist\$4 adj data\$base	EPO; JPO;	12:05
		Tegiscol adj datapsase	IBM TDB	12.00
_	7	domain adj name with register\$5 and	USPAT;	2003/05/29
	,	regist\$7 adj data\$base	EPO; JPO;	12:06
		10910077 day daodynaso	IBM TDB	
_	7	domain adj name with register\$5 and	USPAT;	2003/05/29
	,	regist\$7 adj data\$base and availabl\$4	EPO; JPO;	12:06
			IBM TDB	
_	11	("6012067" "5488725" "5404506" "6094647"	USPĀT;	2003/05/30
	- -	"6055538" "6029195" "6006225" "5758149"	EPO; JPO;	12:23
		"5852657" "5864845" "5943666").pn.	IBM TDB	
-	0	domain adj name with register\$5 and	USPĀT;	2004/02/17
}		registry adj data\$base	EPO; JPO;	13:13
			IBM_TDB	
-	10	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store)	EPO; JPO;	13:18
			IBM_TDB	
-	1	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:14
		check\$4 with box	IBM_TDB	
-	1	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:14
		check\$4 adj box	IBM_TDB	2004/02/17
-	2	domain adj name with register\$5 and	USPAT;	2004/02/17
		registr\$4 with (data\$base data\$store) and check\$box	EPO; JPO; IBM TDB	13:15
	7	domain adj name with register\$5 and	USPAT;	2004/02/17
-	·	registr\$4 with (data\$base data\$store) and	EPO; JPO;	13:29
		available with name	IBM TDB	10.23
_	31	domain adj name with register\$5 and	USPAT;	2004/02/17
		(domain registr\$4) with (data\$base	EPO; JPO;	13:29
•		data\$store) and available with name	IBM TDB	
-	33	domain adj name with register\$5 and	USPĀT;	2004/02/17
		(domain regist\$4) with (data\$base	EPO; JPO;	13:47
		data\$store) and available with name	IBM_TDB	
-	21	domain adj name with register\$5 and	USPAT;	2004/02/17
		regist\$7 with (data\$base data\$store) and	EPO; JPO;	13:30
		available with name	IBM_TDB	
-	33	domain adj name with register\$5 and	USPAT;	2004/02/17
		(domain regist\$7) with (data\$base	EPO; JPO;	13:30
	_	data\$store) and available with name	IBM_TDB	2004/02/27
-	2	domain adj name with register\$5 and	USPAT;	2004/02/17
		regist\$7 with (data\$base data\$store) and	EPO; JPO;	13:30
1	_	available with name and check\$4 adj box	IBM_TDB USPAT;	2004/02/17
-	2	domain adj name with register\$5 and regist\$7 with (data\$base data\$store) and	EPO; JPO;	13:30
		available with name and check\$4 with box	IBM TDB	12.20
_	7	domain adj name with register\$5 and	USPAT;	2004/02/17
-	'	domain adj name with register;	EPO; JPO;	13:36
		data\$store) and available with name and	IBM TDB	
		check\$4 with box		
-	4	domain adj name with register\$5 and	USPAT;	2004/02/17
	_	(domain regist\$7) with (data\$base	EPO; JPO;	13:36
		data\$store) and available with name and	IBM TDB	
		check\$4 with box and expir\$6 with date	_	
-	4	domain adj name with register\$5 and	USPAT;	2004/02/17
		(domain regist\$7) with (data\$base	EPO; JPO;	13:37
		data\$store) and available with name and	IBM_TDB	
		check\$4 with box and expir\$6		

Search History 6/11/04 1:52:37 PM Page 1

(domain regists 4) with (datasbase datasbore) and available with (domain name) domain adj name with register\$5 and (domain regists 4) with (datasbase datasbore) and available with (domain name) and list with the gister\$5 and (domain regists 4) with (datasbase datasstore) and available with (domain name) and list \$4\$ with check\$4 with box domain adj name with register\$5 and (domain regists 4) with (datasbase datasstore) and available with (domain name) and (table list\$4) with check\$4 with box (domain regists\$4) with (datasbase (datasstore) and available with (domain name) and (table list\$4) and check\$4 with box (domain regists\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) (domain regists\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) (domain regists\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) (domain regists\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register\$5 and (domain regists\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register\$5 and (domain regists\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register\$5 and (domain regist\$4) with (datasbase datasstore) and available with (domain name) and (table list\$4) and check\$4 with box and register\$5 and (domain regist\$4) with (datasbase datasstore) and available with (domain regist\$6] with (datasbase datasstore) and available with (domain regist\$7 with (multiple plural\$4 group set) with domain adj name with register\$5 and (domain regist\$7 with (multiple plural\$4 group set) with domain adj name with register\$5 and (domain regist\$7 with (multiple plural\$4 group set) with domain adj name with r					
data\$store) and available with (domain name)	-	36	domain adj name with register\$5 and (domain regist\$4) with (data\$base		2004/02/17 13:47
domain adj name with register\$5 and (domain regists*4) with (data\$base data\$store) and available with (domain IMM_TDB data\$store) and available with (domain data\$store) and available with (domain IMM_TDB data\$store) and available with (domain name) and (table list\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain IMM_TDB domain adj name with register\$5 and (domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain IMM_TDB domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain IMM_TDB data\$store) and available with			data\$store) and available with (domain		
name) and list with check34 with box domain adj name with register\$5 and (domain regist44) with (data\$base data\$store) and available with (domain name) and (table list\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural) data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) comain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register same (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) the chart of the plural\$4 with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) und check\$4 with box and register\$4 with (multiple plural\$4) und check\$4 with box and register\$4 with (multiple plural\$4) und check\$4 with box and register\$4 with (multiple plural\$4 group set) with domain adj name and single with request 2 Regist\$7 with (multiple plural\$4 group set) with domain adj name with register\$5 and condition of the plural\$4 group set) with (domain adj name) with register\$5 and condition of the plural\$4 group set) with (domain adj name) with register\$5 and	-	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base	EPO; JPO;	1
detasistore and available with (domain name) and (table list\$4 with check\$4 with box od odmain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) with check\$4 with box odmain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box odmain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register same (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple plural\$4) check\$4 with box and register\$4 same (multiple plural\$4) check\$4 with box and register\$4 same (multiple plural\$4) check\$4 with box and register\$4 with (multiple plural\$4) check\$4 with check\$4 with box and register\$4 with (multiple plural\$4) check\$4 with check\$4 with check\$4 wit			name) and list with check\$4 with box	_	2004/02/17
0 domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register same (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (data\$base data\$store) and available with (domain adj name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) compare the plural\$4 group set) with domain adj name and single with request register with (multiple plural\$4 group set) with (domain adj name and single with register\$7 with (multiple plural\$4 group set) with (domain adj name with register\$8 group set) with (domain adj name) with single with register\$7 with (multiple plural\$4 group set) with (domain adj name) with single with register\$7 with (multiple plural\$4 group set) with (domain adj name) with si	_		(domain regist\$4) with (data\$base data\$store) and available with (domain	EPO; JPO;	1
domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with hox domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with hox and register with (multiple plural) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4 group set) with domain adj name and single with set plural\$4 group set) with domain adj name and single with set plural\$4 group set) with (domain adj name) with (one single) with request plural\$4 group set) with (domain adj name) with (one single) with request plural\$4 group set) with (domain adj name) with (one single) with request plural\$4 group set) with (domain adj name) with single with request plural\$4 group set) with (domain adj name) with single with request plural\$4 group set) with (domain adj name) with single with request plural\$4 group set) with (domain adj name) with single plural\$4 group set) with goma	-	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) with check\$4	EPO; JPO;	1
domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural) (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) (domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and registers with (multiple plural\$4) (domain adj name with register\$5 and (domain adj name with register\$5 and (domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (domain and name) and (table list\$4) and check\$4 with box and register\$5 and (domain regist\$4) with (data\$base data\$5tore) and available with (domain name) and (table list\$4) and check\$4 with box and register\$5 and (domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$5tore) and available with (domain name) and (table list\$4) and check\$4 with box and register\$5 and (domain adj name with register\$5 and (domain adj name with register\$5 and (domain adj name with (domain adj name) and single with box and register\$4 with (multiple plural\$4 group set) with domain adj name and single with request register with (multiple plural\$4 group set) with (domain adj name) with (some single) with request register with (multiple plural\$4 group set) with (domain adj name) with single with request register with (plural\$4 multiple various group "more than one") with domain adj name vith register\$5 and (domain adj name) with single with reqister\$5 and (domain adj name) with single with regi	-	7	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	EPO; JPO;	
domain adj name with register\$5 and (domain regists/4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register with (multiple plural\$4) (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register same (multiple plural\$4) (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple plural\$4) (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple plural\$4) (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4 group set) with domain adj name - 44 Regist\$7 with (multiple plural\$4 group set) with domain adj name and single with request with (domain adj name) with (one single) with request with (domain adj name) with single with request with (domain adj name) with single with request pick with (domain adj name) with single with request pick with (domain adj name) with single with request pick with (domain adj name) with single with request pick with (domain adj name) with single with request pick with (domain adj name) with single with request pick with (domain adj name) with single with request pick with (domain adj name) with single pick with (domain adj name) with single with request pick with request pick pick pick pick pick pick pick pick	_	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	EPO; JPO;	
domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$ same (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple plural\$4) domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) and check\$4 with box and register\$4 with (multiple plural\$4) and check\$4 with box and register\$4 with (multiple plural\$4 group set) with domain adj name 44 Regist\$7 with (multiple plural\$4 group set) with domain adj name and single with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with register with (plural\$4 multiple various group "more than one") with domain adj 3 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with register with (plural\$4 multiple various group "more than one") with domain adj 4 Regist\$7 with (multiple plural\$4 group set) with domain adj name 4 Regist\$7 with (multiple plural\$4 group set) with group set)	_	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	EPO; JPO;	
domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple plural\$4) domain adj name with register\$5 and (domain rame) and vailable with (domain name) and (table list\$4) with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) and check\$4 with box and register\$4 with (multiple plural\$4 group set) with domain adj name 44 Regist\$7 with (multiple plural\$4 group set) with domain adj name and single with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 3 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 4 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 5 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request group "more than one") with domain adj uSPAT; EPO; JPO; IBM TDB uspAT; US	_	0	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with	EPO; JPO;	1
domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple plural\$4) 44 Regist\$7 with (multiple plural\$4 group set) with domain adj name 3 Regist\$7 with (multiple plural\$4 group set) with domain adj name and single with request 42 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 45 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 46 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 47 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 48 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 49 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 40 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 40 Regist\$7 with (multiple plural\$4 group set) yith (domain adj name) with single with request 40 Regist\$7 with (multiple plural\$4 group set) yith (domain adj name) with single with request 41 Regist\$7 with (multiple plural\$4 group set) yith (domain adj name) with single with request 41 Regist\$7 with (multiple plural\$4 group set) yith (domain adj name) with yith yith yith yith yith yith yith y	_	7	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 same (multiple	EPO; JPO;	
Regist\$7 with (multiple plural\$4 group set) with domain adj name Regist\$7 with (multiple plural\$4 group set) with domain adj name and single with request Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request Regist\$7 with (plural\$4 multiple various group "more than one") with domain adj uspAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-	_	2	domain adj name with register\$5 and (domain regist\$4) with (data\$base data\$store) and available with (domain name) and (table list\$4) and check\$4 with box and register\$4 with (multiple	EPO; JPO;	' '
set) with domain adj name and single with request 2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 3 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request set) with (domain adj name) with single with request register with (plural\$4 multiple various group "more than one") with domain adj uspat; 2004/02/18 uspat; 2004	_	44	set) with domain adj name	EPO; JPO; IBM_TDB	09:35
2 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one single) with request 0 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request 12 register with (plural\$4 multiple various group "more than one") with domain adj uspat; 2004/02/18 USP	-	3	set) with domain adj name and single with	USPĀT; EPO; JPO;	
- 1 Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single with request - 12 register with (plural\$4 multiple various group "more than one") with domain adj name 1 domain adj name and column with tld - 1 domain adj name and column with tld 1 domain adj name and column with tld 1 domain adj name and column with tld 2 004/02/18 EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO;	-	2	Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with (one	EPO; JPO;	
- 12 register with (plural\$4 multiple various group "more than one") with domain adj USPAT; US-PGPUB; name 1 domain adj name and column with tld USPAT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; EPO; JPO;	_	0	Regist\$7 with (multiple plural\$4 group set) with (domain adj name) with single	USPĀT; EPO; JPO;	
- 1 domain adj name and column with tld USPAT; 2004/02/18 US-PGPUB; 11:02 EPO; JPO;	-	12	register with (plural\$4 multiple various group "more than one") with domain adj	USPĀT; US-PGPUB; EPO; JPO;	
I I I I I I I I I I I I I I I I I I I	_	1	domain adj name and column with tld	USPĀT; US-PGPUB;	

level adj domain (tld)					
- 30 domain adj name and column with (top adj level adj domain (tld) extension) USPAT: USPAT	_	1	domain adj name and column with (top adj	,	2004/02/18
1 1 2004/02/18 11:06 12:06			rever adj domarii (cra/)		
300 domain adj name and column with (top adj level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) and (".net" ".com" ".org") USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) and (".net" ".com" ".org") USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) and (".net" ".com" ".org", ".gov") USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) and (".net" ".com" ".org" ".gov") USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) and (net com) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) extension) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT; USPGUB; EPO, JPO; IBM, TDB level adj domain (tld) USPAT;					
- 0 domain adj name and column with (top adj level adj domain (tld) extension) and (".net" ".com" org") 11:06 12:07	_	30	domain adj name and column with (top adj		2004/02/18
0 domain adj name and column with (top adj level adj domain (tld) extension) and (".net" ".com" org" ".org") EPO; JPO; IBM_TDB 1:06 EPO; JPO; IBM_TDB EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			level adj domain (tld) extension)		11:06
level adj domain (tld) extension) and (".net" ".com") 10 2004/02/18 11:06 2004/02/18 11:06 2004/02/18 11:06 2004/02/18 11:06 2004/02/18 2		_			2004/00/10
C".net" ".com" SPO; JPO;	-	0		į ·	
1					11:06
0 domain adj name and column with (top adj level adj domain (tld) extension) and (".net" ".com" ".org") 1:06 1:08 1:			(. Het		
level add domain (tld) extension) and (".net" ".com" ".org") US-PGFUB; EBPO, JPO; IBM TDB USPAT; USPA		0	domain adi name and column with (top adi		2004/02/18
C".net" ".com" ".org")		•			11:06
		,		EPO; JPO;	
level adj domain (tld) extension) and (".net" ".com" ".org" ".gov")			·		
C".net" ".com" ".org" ".gov" EPO; JPO; IBM TDB USPAT; USP-GPUB; EPO; JPO; IBM TDB USPAT; US	-	0	domain adj name and column with (top adj		
11		l '	level adj domain (tld) extension) and		11:18
1 domain adj name and column with (top adj level adj domain (tld) extension) and (net com) 1:07 1:0			(".net" ".com" ".org" ".gov")	i i	
level adj domain (tld) extension) and (net com) (n		11	domain add name and column with (ton add	_	2004/02/18
Comparison Com	-	11			1 - ' '
1 domain adj name and column with (top adj level adj domain (tld) extension) IBM TDB US-PGFUB; EPO; JPO; IBM TDB US-					
level adj domain (tld) extension) with (net com) (IBM_TDB	
level adj domain (tld) extension) with (net com) (_	1	domain adj name and column with (top adj		
Tow with (domain adj name) and column with (top adj level adj domain (tld) USPAT; 2004/02/18 11:10 EPG EPG; JPO; IBM TDB USPAT; COLUMN with (top adj level adj domain (tld) USPAT; COM4/02/18			level adj domain (tld) extension) with		11:09
10 row with (domain adj name) and column with (top adj level adj domain (tld) row list\$4) with (domain adj name) and column with (top adj level adj domain row limm to			(net com)	1 .	
with (top adj level adj domain (tld) EPO; JPO; IBM TDB USPAT; USPAT			14.1 (1.1 1.2 1.4		2004/02/18
extension	-	U	row with (domain adj name) and column	1 '	
10 (row list\$4) with (domain adj name) and column with (top adj level adj domain (tld) extension) (tld					11.10
10			extension		
Column with (top adj level adj domain (tld) extension)	_	10	(row list\$4) with (domain adj name) and		2004/02/18
Common			column with (top adj level adj domain	1	11:10
- 0 domain adj name and column with (".net" USPĀT; US-PGPUB; EPO; JPO; IBM TDB USPĀT;					
Solumn S		_			2004/02/19
EPO; JPO; IBM TDB SPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; US-PGPU	-	0			
Since Sinc			".com" ".org" ".gov")		11.19
- 511 domain adj name and table and row and column USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EFO; JPO; IBM_TDB USPAT; US-PGPUB; EFO; JPO; IBM_TDB USPAT; US-PGPUB; EFO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EFO; JPO; IBM_TDB USPAT; US-PGPUB; Illister US-PGPUB; Ill					
Column US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; US-PGPUB	_	511	domain add name and table and row and	1	2004/02/18
domain adj name and table and row and column with tld domain adj name and table and row and column with (level adj domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld) extension) domain adj name and table and row and uspart; USPAT; USPAT; USPGUB; EPO; JPO; IBM_TDB USPAT;				US-PGPUB;	11:19
domain adj name and table and row and column with tld domain adj name and table and row and column with (level adj domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level adj domain (tld) extension) domain adj name and table and row and column with (level adj domain (tld) uspat; us				· ·	
column with tld column with tld domain adj name and table and row and column with (level adj domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld) column with (level with domain (tld) extension) 4708 column with (level adj domain (tld) extension) US-PGPUB; EPO; JPO; IBM TDB US-AT; US-BGPUB; II: 2004/02/18				_	0004/00/10
domain adj name and table and row and column with (level adj domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain adj name and table and row and column with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld) extension) domain adj name and table and row and uspaT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	-	0			
domain adj name and table and row and column with (level adj domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain adj name and table and row and column with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) extension) domain adj name and table and row and uspaT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISM_TDB USPAT; US-PGPUB; EPO; JPO;			column with tid		11:19
domain adj name and table and row and column with (level adj domain (tld)) domain adj name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) column with (level adj domain (tld) extension) domain adj name and table and row and column with name and table and row and column with (level with domain (tld)) EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	1			1 '	
column with (level adj domain (tld)) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB US-PGPUB; EPO; JPO;	_	0	domain add name and table and row and	_	2004/02/18
domain adj name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld) extension) domain with name and table and row and column with (level with domain (tld) extension) EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; EPO; JPO; EPO; JPO; EPO; JPO; EPO; JPO; EPO; JPO;					1
domain adj name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld) extension) domain with name and table and row and column with (level with domain (tld) extension) domain with name and table and row and column with (level with domain (tld) extension) domain with name and table and row and column with (level with domain (tld) USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with (level with domain (tld) US-PGPUB; EPO; JPO; IBM TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-PGPUB; EPO; US-PGPUB; EPO; US-PGPUB; E				_	
domain with name and table and row and column with (level with domain (tld)) 2 domain with name and table and row and column with name and table and row and column with (level with domain (tld)) 23 domain with name and table and row and column with (level with domain (tld) US-PGPUB; extension) 4708 column with (level adj domain (tld) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EYO; JPO; US-PGPUB; EYO; JPO; US-PGPUB; EYO; JPO;	-	1			1
domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with name and table and row and column with (level with domain (tld) column with (level with domain (tld) extension) domain with name and table and row and column with (level with domain (tld) extension) 4708 column with (level adj domain (tld) extension) IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EVO; JPO; US-PGPUB; EVO; JPO; US-PGPUB; EVO; JPO;			column with (level with domain (tld))		11:22
domain with name and table and row and column with (level with domain (tld)) domain with name and table and row and column with name and table and row and column with (level with domain (tld) column with (level with domain (tld) extension) 4708 column with (level adj domain (tld) extension) USPĀT; US-PGPUB; EPO; JPO; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
column with (level with domain (tld)) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EVENSION) Column with name and table and row and column with (level with domain (tld) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EVENSION) 11:23 2004/02/18 11:26	l _	2	domain with name and table and row and		2004/02/18
domain with name and table and row and column with (level with domain (tld) uspat; us-pgpuB; extension) 4708 column with (level adj domain (tld) uspat; us-pgpuB; extension) Uspat; us-pgpuB; uspat; us-pgpuB; extension) EPO; JPO; IBM_TDB uspat; us-pgpuB; EPO; JPO; us-pgpuB; EPO; JPO;	-		column with (level with domain (tld))		
domain with name and table and row and column with (level with domain (tld) EPO; JPO; IBM_TDB USPAT; US-PGPUB; Extension) 4708 column with (level adj domain (tld) USPAT; US-PGPUB; EXTENSION) column with (level adj domain (tld) USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;			10000 100000 100000 100000 100000 100000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000 10		
column with (level with domain (tld) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; extension) US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; EPO; JPO;					
extension) EPO; JPO; IBM_TDB USPAT; 2004/02/18 extension) EPO; JPO; IBM_TDB USPAT; US-PGPUB; I1:59 EPO; JPO;	-	23			
- 4708 column with (level adj domain (tld) USPAT; US-PGPUB; EPO; JPO;	1	1			11:26
- 4708 column with (level adj domain (tld) USPAT; US-PGPUB; EPO; JPO; 2004/02/18			extension)		
extension) US-PGPUB; 11:59 EPO; JPO;	 _	4709	column with (level add domain (tld)	_	2004/02/18
EPO; JPO;	-	4/08			
1 2010				IBM_TDB	

-	104	row with (list name) and column with (level adj domain (tld) extension)	USPAT; US-PGPUB;	2004/02/18 11:27
			EPO; JPO;	
	7.0		IBM_TDB	2004/02/19
_	10	row with (list name) and column with (level adj domain (tld) extension) and	USPAT; US-PGPUB;	2004/02/18 11:31
		domain adj name	EPO; JPO;	11.51
		domain day name	IBM TDB	
-	487	register\$4 with (domain adj name)	USPĀT;	2004/02/18
			US-PGPUB;	11:31
			EPO; JPO; IBM TDB	
_	83	register\$4 with (domain adj name) and	USPAT;	2004/02/18
-	0.5	(top adj level adj domain (tld))	US-PGPUB;	11:32
			EPO; JPO;	
			IBM_TDB	
-	12	register\$4 with (domain adj name) and	USPAT;	2004/02/18
		(top adj level adj domain (tld)) and column	US-PGPUB; EPO; JPO;	11:32
			IBM TDB	
_	3	column with (level adj domain (tld))	USPAT;	2004/02/18
		<u>-</u>	US-PGPUB;	12:02
			EPO; JPO;	
_	38	 column with domain adj name	<pre>IBM_TDB USPAT;</pre>	2004/02/18
-	36	Column with domain adj name	US-PGPUB;	12:02
			EPO; JPO;	= =
			IBM_TDB	
-	632	domain with name with register\$4	USPAT;	2004/06/10
			US-PGPUB; EPO; JPO;	15:02
			IBM TDB	
_	155	domain with name with register\$4 and	USPAT;	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB;	15:03
		set all) with domain with name	EPO; JPO;	
	7	domain with name with registers 4 and	<pre>IBM_TDB USPAT;</pre>	2004/06/10
-	'	domain with name with register\$4 and register\$4 with (multiple plural\$4 group	US-PGPUB;	15:06
		set all) with domain with name with (one	EPO; JPO;	
		single) with request	IBM_TDB	
-	7	domain adj name with register\$4 and	USPAT;	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB; EPO; JPO;	15:07
		set) with domain adj name with (one single) with request	IBM TDB	
_	1	(domain adj name with register\$4).ti. and	USPAT;	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB;	15:08
		set) with domain adj name with (one	EPO; JPO;	
_	3	single) with request domain adj name with register\$4 and	<pre>IBM_TDB USPAT;</pre>	2004/06/10
		register\$4 with (multiple plural\$4 group	US-PGPUB;	15:10
		set) near3 domain adj name with (one	EPO; JPO;	
	_	single) with request	IBM_TDB	0004/05/50
-	0	register\$4 with (multiple plural\$4 group	USPAT;	2004/06/10 15:10
		set) near3 domain adj name with (concurrent\$4 "at the same time"	US-PGPUB; EPO; JPO;	13:10
		together)	IBM TDB	
-	0	register\$4 with (multiple plural\$4 group	USPAT;	2004/06/10
		set) near3 domain adj name with	US-PGPUB;	15:11
		(concurrent\$4 "at the same time" together	EPO; JPO;	
_	4	simultaneous\$4) register\$4 with (multiple plural\$4 group	<pre>IBM_TDB USPAT;</pre>	2004/06/10
		set) with domain adj name with	US-PGPUB;	15:12
		(concurrent\$4 "at the same time" together	EPO; JPO;	
		simultaneous\$4)	IBM_TDB	0004/06/50
-	4	\ \	USPAT;	2004/06/10
		plural\$4 group set) with domain adj name with (concurrent\$4 "at the same time"	US-PGPUB; EPO; JPO;	15:13
		together simultaneous\$4)	IBM TDB	
L				

_	4	plural\$4 group few all set) with domain	USPAT; US-PGPUB;	2004/06/10 15:13
	•	adj name with (concurrent\$4 "at the same time" together simultaneous\$4)	EPO; JPO; IBM TDB	
_	30	register\$4 with multiple with domain with	USPĀT;	2004/06/10
		name	US-PGPUB; EPO; JPO;	15:13
_	2	register\$4 adj multiple adj domain adj	IBM_TDB USPAT;	2004/06/10
	_	name	US-PGPUB; EPO; JPO;	15:15
			IBM_TDB	
-	11	register\$4 with multiple adj domain adj name	USPAT; US-PGPUB;	2004/06/10 15:19
1			EPO; JPO;	
_	17		IBM_TDB USPAT;	2004/06/10
		domain adj name and (multi\$5 plural\$4) with domain adj name	US-PGPUB; EPO; JPO;	15:22
		(register\$4 with (plural\$4 mult\$5) adj	IBM_TDB USPAT;	2004/06/10
_	6	domain adj name and (multi\$5 plural\$4)	US-PGPUB;	15:20
		with domain adj name) not (register\$4 with multiple adj domain adj name)	EPO; JPO; IBM TDB	
_	20	register\$4 with (plural\$4 similar mult\$5) adj domain adj name and (multi\$5	USPĀT; US-PGPUB;	2004/06/10 15:22
		plural\$4) with domain adj name	EPO; JPO;	20.22
_	20	register\$4 with (plural\$4 similar alike	IBM_TDB USPAT;	2004/06/10
		mult\$5) adj domain adj name and (multi\$5 plural\$4) with domain adj name	US-PGPUB; EPO; JPO;	15:23
	3	-	IBM_TDB USPAT;	2004/06/10
-	3	(register\$4 with (plural\$4 similar alike mult\$5) adj domain adj name and (multi\$5	US-PGPUB;	15:26
		plural\$4) with domain adj name) not (register\$4 with (plural\$4 mult\$5) adj	EPO; JPO; IBM TDB	
		domain adj name and (multi\$5 plural\$4) with domain adj name)	_	
-	74		USPAT;	2004/06/10 15:26
			US-PGPUB; EPO; JPO;	15:26
_	135	(plural\$4 multiple) near domain near name	IBM_TDB USPAT;	2004/06/10
			US-PGPUB; EPO; JPO;	15:27
	5.1	() 104 144-1-1-1 1	IBM_TDB	2004/06/10
-	51	(plural\$4 multiple) near domain near name and register\$4 with (domain name)	USPAT; US-PGPUB;	2004/06/10 15:32
			EPO; JPO; IBM TDB	
-	9	(plural\$4 multiple) near domain near name and register\$4 with (domain name) and	USPAT; US-PGPUB;	2004/06/10 15:31
		(concurrent\$4 simultaneous\$4 together "at	EPO; JPO;	10.01
-	0	the same time") with register\$4 "register all"	IBM_TDB USPAT;	2004/06/10
			US-PGPUB; EPO; JPO;	15:31
	0	register\$4 adj all	IBM_TDB USPAT;	2004/06/10
-		register\$4 adj all	US-PGPUB;	15:32
			EPO; JPO; IBM_TDB	
-	11	(plural\$4 multiple) near domain near name and register\$4 with (domain name) and	USPAT; US-PGPUB;	2004/06/10 15:33
		register\$4 with (chosen choose select\$4)	EPO; JPO;	
1	I	1	IBM_TDB	I

_	9	((plural\$4 multiple) near domain near	USPAT;	2004/06/10
		name and register\$4 with (domain name)	US-PGPUB;	15:33
		and register\$4 with (chosen choose	EPO; JPO;	
	ļ	select\$4) with (name domain)) not	IBM TDB	
		((plural\$4 multiple) near domain near	_	
		name and register\$4 with (domain name)		
	•	and (concurrent\$4 simultaneous\$4 together		
		"at the same time") with register\$4)		
-	11	1 12	USPAT;	2004/06/10
		and register\$4 with (domain name) and	US-PGPUB;	15:37
		register\$4 with (chosen choose select\$4)	EPO; JPO;	
		with (name domain)	IBM_TDB	
-	2	"register.com".as.	USPAT;	2004/06/10
			US-PGPUB;	15:37
			EPO; JPO;	
			IBM_TDB	
-	826	domain with name with regist\$7	USPAT;	2004/06/11
			US-PGPUB;	13:45
			EPO; JPO;	
			IBM_TDB	, , ,
-	20		USPAT;	2004/06/11
		with success\$4	US-PGPUB;	13:45
	,		EPO; JPO;	
			IBM_TDB	